



TECHNICAL FEATURES

Code	Type of LED	Power P(W)	Input voltage (V)	Color temp. of LED (K)	CRI	Working ambient temp. (°C)	Weight (kg)	Energy efficiency class
DT01WW/NW/CW	COB	1X15W	90-265V AC	3000/4000/6000K	80	-25 ÷ +70 °C	0,58 kg	E/E/E
DT04WW/NW	COB	1x12W	100-265V AC	3000/4000K	80	-25 ÷ +50 °C	0,50 kg	F/F
DT05WW/NW	COB	1x18W	100-265V AC	3000/4000K	80	-25 ÷ +50 °C	0,90 kg	F/F
DT11WW/NW	COB	1x8W	100-265V AC	3000/4000K	80	-25 ÷ +50 °C	0,46 kg	E/E
DT12WW/NW	COB	1x18W	100-265V AC	3000/4000K	80	-25 ÷ +50 °C	1,20 kg	F/F
DT13WW/NW	COB	1x25W	100-265V AC	3000/4000K	80	-25 ÷ +50 °C	1,68 kg	F/F


DT04




DT04




DT05





DT11



DT12




DT13




TECHNICAL FEATURES

Code	LED type	Power	Input voltage	Driver	LED color temperature	Optics	Working temperature	Weight	Energy efficiency class
DT02RGBW30	RGBW COB OSRAM	12W	24V DC	Excluded	RGBW	30°	-20 ÷ +70 °C	0.52 kg	0.52 kg


PRODUCTS DIMENSIONS



WIRING DIAGRAM






Standards: EN 60598-1:2015, EN 60598-2-5:2015, EN 62493:2015, EN 62471:2008, EN 62031:2008 + A2:2015, EN 60529:1992 + A2:2013, EN 55015:2013 + A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 61547:2009.
 Importator: Arelux S.R.L., str. Al. Tolstoi, nr. 12, Bacău - 600093, ROMANIA.
 Tel: +40 0234 514 492 / 546 620. Fax: +40 0234 546 677.



OPEN SIZE 420x297mm

CLOSED SIZE 105x148,5mm



PRINT: 1 color (black) front and back side